

RF Catalogue

07/2017



*simplified to **open***

www.rfblackone.com

Guida illustrata dei modelli compatibili / illustrated guide of compatible models

02	ADYX	15	ECOSTAR	27	NORTON
02	AERF	15	ELBE	27	NOVOFERM
03	ALLMATIC	15	ELEMAT	28	O&O
03	APERTO	15	ELKA	28	OPENOUT
04	APRIMATIC	15	EMFA	28	PECCININ
04	ATA	15	ERREKA	29	PORTAMATIC
04	AUTELCO	17	FAAC	29	PRASTEL
04	AVIDSEN	18	FADINI	29	PROEM
05	BALLAN	18	FERPORT	30	PROLIFT
05	BENINCA	18	FORSA	30	PUJOL
06	BFT	19	GENIUS	30	RIB
07	CAME	19	GIBIDI	31	ROLLTORE
07	CARDIN	19	GULLIVER	31	ROPER
08	CASALI	20	HORMANN	31	SABUTOM
08	CASIT	20	JCM	31	SEA
08	CELINSA	22	KEY	31	SEAV
09	CHAMBERLAIN	22	KING GATES	31	SERAI
10	CIMESA	22	LABEL	31	SILVELOX
11	CLEMSA	22	LEB	31	SIMINOR
12	DASPI	22	LIFT MASTER	32	SOMFY
12	DEA SYSTEM	24	LINEAR	32	SOMMER
13	DELMA	24	MARANTEC	33	STAGNOLI
13	DICKERT	24	MERLIN 2.0	33	TAU
14	DITEC	25	MERLIN	33	TELCOMA
14	DOORHANN	25	MHOUSE	33	V2
14	DOORMATIC	25	MOTOR LIFT	34	VDS
14	DUCATI	27	NICE		

Legenda simboli di programmazione

Programming symbols legend




Acquisizione diretta

Direct learning



Acquisizione diretta + sistema di acquisizione a distanza

Direct learning + Air Learning System Option



Acquisizione diretta + acquisizione sulla centralina

Direct learning + learning on the receiver

35 Elenco dei modelli originali compatibili / List of compatible original models

Modelli Jolly line / Jolly line models

44	BLACK series
46	JOLLY OPEN series
47	TOUCH series

simplified to open

www.rfblackone.com

for **ADYX** model **433-HD BRAVO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ADYX** model **TE4433H BLUE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ADYX** model **TM-433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF** model **BT**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF** model **COMPACT**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **HY-DOM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MARS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MARS**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MERCURI B**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MERCURI B**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MERCURI C**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **MERCURI C**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **SABUTON**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **SATURN**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **ST3-N**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **AERF** model **TERRA**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TMP-1**




Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TMP-2**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **AERF** model **TTS**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **AERF** model **UNITECH**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **ASMx2**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **ASMY**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BRO.OVER**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BROWN**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **BROWN RED**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **MINIPASS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **PASS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ALLMATIC** model **TECH3**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **APERTO** model **4020-TX03-434**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **APERTO** model **CPS**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **APERTO** model **TX02-434-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APERTO** model **TX02-434-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC** model **TM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC** model **TR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **APRIMATIC** model **TXM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ATA** model **PTX4 BLU**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ATA** model **PTX4 PINK**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AUTELCO** model **EMB**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AUTELCO** model **TX300**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AUTELCO** model **TX300T**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **104250**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **104250 OLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **104250 RED**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **104251**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **104257**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **AVIDSEN** model **104350**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **AVIDSEN** model **654250**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BALLAN** model **FM400**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BALLAN** model **FM400E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **APPLE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **CUPIDO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **IO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **LOT A**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **LOT W**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA** model **LOT WCV**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **LOT WMS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA** model **LOT X**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **LOT XPS**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **LOT XW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA** model **ROLLKEY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **TO.GO. QV**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **TO.GO. WP**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **TO.GO. WV**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BENINCA** model **TWK**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BENINCA** model **TWV**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **GHBILI**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **KLEIO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MITTO A**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MITTO M**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MITTO RCB**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **MURALE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **TEO**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **BFT** model **TFQ**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **TRC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **BFT** model **TX2 306**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **BFT** model **VTM**



Codifica coding	FIX CODE
Frequenza frequency	315,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CAME** model **TOP432EV**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP432NA**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP432S**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP432SA**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP434A**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP434M**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CAME** model **TOP862NA**



Codifica coding	FIX CODE
Frequenza frequency	868,36 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CAME** model **TWIN**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CARDIN** model **S437 TX**



Codifica coding	ROLLING CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CARDIN** model **S438 TX**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **CARDIN** model **TXQ 486**



Codifica coding	ROLLING CODE
Frequenza frequency	868,36 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CARDIN** model **TXQ 486 NEW**



Codifica coding	ROLLING CODE
Frequenza frequency	868,36 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CARDIN** model **TXQ S449**



Codifica coding	ROLLING CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CARDIN** model **TXQ S449 GREEN**



Codifica coding	ROLLING CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	 +ALSO
Duplicabile con/duplicable with:	BLACK ONE 2161

for **CARDIN** model **TXQ S486 OLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASALI** model **JA33 AMIGO**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASIT** model **BE HAPPY S**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASIT** model **BE HAPPY S AZUL**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASIT** model **MPSTFRC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASIT** model **MTE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CASIT** model **VTM**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **C-2**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **DW-2**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CELINSA** model **ME**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **ME-B**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **MOVECODE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **RW-2**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CELINSA** model **SAW**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CELINSA** model **SE**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **CELINSA** model **SE-1**



Codifica coding **FIX CODE**
Frequenza frequency **302,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **SE-1B**



Codifica coding **FIX CODE**
Frequenza frequency **302,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **SE-B**



Codifica coding **FIX CODE**
Frequenza frequency **287,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **X-2**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CELINSA** model **Z-2**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **132B2372**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **1A5477**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **1A5639-7**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **371 LM**



Codifica coding **ROLLING CODE**
Frequenza frequency **315,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **4335EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CHAMBERLAIN** model **433EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CHAMBERLAIN** model **84330E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **84330EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **84333EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **84335EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **8747EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94333E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94334CE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94334E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94335E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **94335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **310,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **315,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **390,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **971 LM**



Codifica coding **ROLLING CODE**

Frequenza frequency **390,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **9747E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CHAMBERLAIN** model **G4330E**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CIMESA** model **EM**



Codifica coding **FIX CODE**

Frequenza frequency **352,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **CLEMSA** model **D**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **DIGICODE MH**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CLEMSA** model **E**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **E-300**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **E-600**



Codifica coding **FIX CODE**

Frequenza frequency **286,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161


for **CLEMSA** model **E-CODE N**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **E20**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **EM**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **FA**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **M-60**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **MASTERCODE**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CLEMSA** model **MH**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CLEMSA** model **MH-E**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **CLEMSA** model **MT**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **MT-X**



Codifica coding **FIX CODE**

Frequenza frequency **287,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **CLEMSA** model **MT-Y**



Codifica coding **FIX CODE**
Frequenza frequency **302,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **MT-Z**



Codifica coding **FIX CODE**
Frequenza frequency **302,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **MUTANCODE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **T**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **CLEMSA** model **T-8**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DASPI** model **ZERO RC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM** model **306**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM** model **GENIE R 273**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM** model **GENIE S**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM** model **GENIE S 263L**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM** model **GOLD306**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM** model **GOLDR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DEA SYSTEM** model **GOLDS**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM** model **MIO TD**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM** model **MIO TR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **DEA SYSTEM** model **PUNTO 268**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DEA SYSTEM** model **PUNTO 278**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DELMA** model **APOLLO-300-4**



Codifica coding **FIX CODE**
Frequenza frequency **300.00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DELMA** model **APOLLO-433-4**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA** model **APOLLO-433-4 NEW**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA** model **KING-433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DELMA** model **MIZ-300**



Codifica coding **FIX CODE**
Frequenza frequency **300.00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DELMA** model **MIZ-433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **HS-868**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT** model **HS-868 GREY**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT** model **IAMS-433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **MAHS433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **S10 AL**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **S10 AL**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT** model **S10-433-AL**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **S20-433-AL**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **S20-868-AL**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DICKERT** model **S5-433-AL**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DICKERT** model **S5-868-AL**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC** model **BIX LG4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC** model **BIX LP2**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC** model **BIX LS2**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DITEC** model **GOL4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DITEC** model **GOL4C**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DOORHAN** model **TRANSMITTER 4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DOORMATIC** model **AM-300**



Codifica coding **FIX CODE**
Frequenza frequency **300.00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **DOORMATIC** model **AZ-433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DOORMATIC** model **EURO**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI** model **TE2**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI** model **TPR**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **DUCATI** model **TSAW**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **DUCATI** model **TSAWN**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ECOSTAR** model **40**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ECOSTAR** model **RSC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ECOSTAR** model **RSE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ECOSTAR** model **RSZ**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ELBE** model **50**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ELEMAT** model **TRINARY**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ELKA** model **SKX**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **EMFA** model **BINARY**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **EMFA** model **TRINARY**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **BARR**



Codifica coding **FIX CODE**
Frequenza frequency **340,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **BM**



Codifica coding **FIX CODE**
Frequenza frequency **287,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **CEME**



Codifica coding **FIX CODE**
Frequenza frequency **288,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **CLEM**



Codifica coding **FIX CODE**
Frequenza frequency **287,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **CLMX**



Codifica coding	FIX CODE
Frequenza frequency	288,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **CLMY**



Codifica coding	FIX CODE
Frequenza frequency	302,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **CYJC**



Codifica coding	FIX CODE
Frequenza frequency	290,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **IRIS**



Codifica coding	ROLLING CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **IRIS**



Codifica coding	ROLLING CODE
Frequenza frequency	868,36 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **JC**



Codifica coding	FIX CODE
Frequenza frequency	290,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **JJM**



Codifica coding	FIX CODE
Frequenza frequency	290,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **LUNA**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **ERREKA** model **MATZ**



Codifica coding	FIX CODE
Frequenza frequency	330,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **MATZ AZUL**



Codifica coding	FIX CODE
Frequenza frequency	330,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **MC**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **ERREKA** model **MT**



Codifica coding	FIX CODE
Frequenza frequency	290,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

for **ERREKA** model **RESON 2**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **ERREKA** model **RESON 4**



Codifica coding	FIX CODE
Frequenza frequency	433,92 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161 BLACK 2162/2163 JOLLY OPEN 2137/2157 OPEN TOUCH 2143/2155

for **ERREKA** model **RLT**



Codifica coding	FIX CODE
Frequenza frequency	330,00 MHz
Programmazione/programming:	
Duplicabile con/duplicable with:	BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **ERREKA** model **ROLLER 2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **ROLLER 2 868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **ROLLER 4 868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **SGOX**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ERREKA** model **SMAT**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **ERREKA** model **SOL433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **SOL868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **VEGA 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **ERREKA** model **VEGA 868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **418 SL**



Codifica coding **FIX CODE**

Frequenza frequency **418,00MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **DL868SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **R40 330 NEW**



Codifica coding **FIX CODE**

Frequenza frequency **330,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **R40 330 OLD**



Codifica coding **FIX CODE**

Frequenza frequency **330,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **T433SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **T868SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **FAAC** model **TE433HG**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **TM300**



Codifica coding **FIX CODE**

Frequenza frequency **330,00 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **TM315**



Codifica coding **FIX CODE**

Frequenza frequency **315,00 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **TML433SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **TML433SLR**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
OPEN TOUCH 2143/2155

for **FAAC** model **XT433RC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **XT433SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FAAC** model **XT868SLH**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FADINI** model **ASTRO 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **FADINI** model **ASTRO 433M**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **FADINI** model **JUBI 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FADINI** model **JUBI SMALL**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FERPORT** model **TAC80**



Codifica coding **FIX CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FORSA** model **TRIEME**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

for **FORSA** model **TX26**



Codifica coding **FIX CODE**

Frequenza frequency **288,00 MHz**

Programmazione/programming:

 **+ALSO**

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **GENIUS** model **AMIGO**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **AMIGOLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **BRAVO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **ECHO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GENIUS** model **JA40**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **GENIUS** model **KILO**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1600**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1600 WOOD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1680**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **AU1680 WOOD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **DOMINO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **L110**



Codifica coding **FIX CODE**

Frequenza frequency **305,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GIBIDI** model **TMB**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **GIBIDI** model **TSM**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GULLIVER** model **MDRS**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **GULLIVER** model **MDW**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN** model **HS4 868 BS**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HS868**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HSE 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN** model **HSE2 868 BS**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HSM 40**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **HORMANN** model **HSM 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **HORMANN** model **HSP4**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **BINARY**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **EB**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161


for **JCM** model **EF**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **EM**



Codifica coding **FIX CODE**
Frequenza frequency **284,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **ET**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **GO**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **GO CUBELLS**



Codifica coding **ROLLING CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for JCM model **GO DMIL****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO FORSA****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO GIBIDI****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO HYDOM****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO NORTON****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO ROPER****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **GO TECH****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **MINI GO****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **868,36 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO DMIL****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO EMFA****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO FORSA****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO PUJOL****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO ROPER****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161for JCM model **NEO SERVIPARKING****Codifica**
coding **ROLLING CODE****Frequenza**
frequency **433,92 MHz****Programmazione/programming:****Duplicabile con/duplicable with:**
BLACK ONE 2161

for **JCM** model **TRIEME**



Codifica coding **FIX CODE**
Frequenza frequency **320,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **JCM** model **TWIN**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **900TXB-42R**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **SUB 44R**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **KEY** model **TXB 44R**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **KING GATES** model **CLIPPER**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **KING GATES** model **STYLO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LABEL** model **SPYCO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LEB** model **TCP**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LEB** model **TMW**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LIFT MASTER** model **132B2372**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **1A5477**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161


for **LIFT MASTER** model **1A5639-7**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **371 LM**



Codifica coding **ROLLING CODE**
Frequenza frequency **315,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **4335EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **LIFT MASTER** model **433EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LIFT MASTER** model **84330E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **84330EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **84333EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **84335EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **8747EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94330EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94333E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94333EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94334CE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94334E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94335E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **94335EML**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **953ESTD**



Codifica coding **ROLLING CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **953ESTD**



Codifica coding **ROLLING CODE**
Frequenza frequency **315,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **LIFT MASTER** model **953ESTD**



Codifica coding **ROLLING CODE**
Frequenza frequency **390,00 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **LIFT MASTER** model **971 LM**



Codifica coding **ROLLING CODE**
Frequenza frequency **390,00 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **LIFT MASTER** model **9747E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **LIFT MASTER** model **G4330E**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **LINEAR** model **LINEAR**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **LINEAR** model **MEGACODE**



Codifica coding **FIX CODE**
Frequenza frequency **318,00 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MARANTEC** model **21R**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC** model **D23**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC** model **DIGITAL 21**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC** model **DIGITAL 30 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MARANTEC** model **DIGITAL 30 868**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MARANTEC** model **DIGITAL 32 868**



Codifica coding **FIX CODE**
Frequenza frequency **868,36 MHz**
Programmazione/programming:
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN 2.0** model **E940M**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN 2.0** model **E943M**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN 2.0** model **E945M**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: **+ALSO**
Duplicabile con/duplicable with: **BLACK ONE 2161**

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **MERLIN** model **C940**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN** model **C943**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN** model **C945**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN** model **M842**




Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MERLIN** model **M844**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MHOUSE** model **GTX4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MHOUSE** model **MOOVO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MHOUSE** model **TX3**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MHOUSE** model **TX4**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MOTOR LIFT** model **132B2372**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MOTOR LIFT** model **1A5477**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MOTOR LIFT** model **1A5639-7**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MOTOR LIFT** model **371 LM**




Codifica coding **ROLLING CODE**
Frequenza frequency **315,00 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**

for **MOTOR LIFT** model **4335EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MOTOR LIFT** model **433EML**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming: 
Duplicabile con/duplicable with: **BLACK ONE 2161**
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **MOTOR LIFT** model **84330E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **84335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **8747EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94330EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94333E**



Codifica coding **ROLLING CODE**


Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94333EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94334CE**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94334E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94335E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **94335EML**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **310,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **315,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **953ESTD**



Codifica coding **ROLLING CODE**

Frequenza frequency **390,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **971 LM**



Codifica coding **ROLLING CODE**
Frequenza frequency **390,00 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **9747E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **MOTOR LIFT** model **G4330E**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NICE** model **EASY S**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **ERA ONE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **ERA-FLOR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **FLO-R**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **INTI**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **ONE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **SMILO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NICE** model **VERY-VR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NORTON** model **NEO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NORTON** model **TXE**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NOVOFERM** model **M512**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **NOVOFERM** model **MCBS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 +ALSO
Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **MICRO-NOVOTRON 502**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **MICRO-NOVOTRON 504**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **MINI-NOVOTRON 502**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **MINI-NOVOTRON 504**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **MNHS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **NOVOFERM** model **NOVOTRON 202 MB**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **O&O** model **ELIOT**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **O&O** model **RAY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **O&O** model **T.COM R4-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **O&O** model **T.COM R8-2**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **O&O** model **TX**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **OPENOUT** model **L110**



Codifica coding **FIX CODE**

Frequenza frequency **305,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **OPENOUT** model **TMB**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **OPENOUT** model **TSM**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **PECCININ** model **TX MENBRANA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **PORTAMATIC** model **MPH**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PORTAMATIC** model **MPSA**



Codifica coding **FIX CODE**
Frequenza frequency **289,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PORTAMATIC** model **MPSN**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **BFOR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **KMFT**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **KMFTP**



Codifica coding **FIX CODE**
Frequenza frequency **306,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTFE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTFE RE**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PRASTEL** model **MPSTFE RJ**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PRASTEL** model **MPSTLE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MPSTP2E**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **MTE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **TCE**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PRASTEL** model **TRQ-P**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:
 **+ALSO**
Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROEM** model **ERC-ACD**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **PROLIFT** model **C940**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT** model **C943**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT** model **C945**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT** model **M842**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PROLIFT** model **M844**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **ET**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **NEO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **P15**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **TWIN**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **VARIO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **VARIO MARS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **PUJOL** model **VARIO OCEAN**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **RIB** model **LITHIO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **RIB** model **MOON**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **RIB** model **SUN**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **ROLLTORE**

model **R330**



Codifica coding **FIX CODE**
Frequenza frequency **330,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ROLLTORE**

model **R40**



Codifica coding **FIX CODE**
Frequenza frequency **330,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ROLLTORE**

model **R40 330 NEW**



Codifica coding **FIX CODE**
Frequenza frequency **330,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ROPER**

model **NEO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **ROPER**

model **TRINARY**



Codifica coding **FIX CODE**
Frequenza frequency **290,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SABUTOM**

model **BROOVER**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SABUTOM**

model **BROSTAR**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SEA**

model **EC 433**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SEAV**

model **BE HAPPY RS**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SERAI**

model **SER 310**



Codifica coding **FIX CODE**
Frequenza frequency **310,00 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SILVELOX**

model **MHZ 07 RC**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SILVELOX**

model **QUARZ SAW**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **CVX**



Codifica coding **FIX CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SIMINOR**

model **CVXNL**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **MITTO**



Codifica coding **ROLLING CODE**
Frequenza frequency **433,92 MHz**
Programmazione/programming:

Duplicabile con/duplicable with:
BLACK ONE 2161

for **SIMINOR**

model **SIM433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **ALARMA**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **CVX**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SOMFY**

model **K-EASY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **K-EASY NEW**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **K-EASY OLD**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEY GO RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEYTIS RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **KEYTIS RTS NS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **MITTO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **TELIS RTS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMFY**

model **TS 433**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **SOMMER**

model **4010**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4020**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4025 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

for **SOMMER**

model **4025 868**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **SOMMER**

model **4026**



Codifica coding **ROLLING CODE**

Frequenza frequency **868,36 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **KALLISTO**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **VENUS**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **STAGNOLI**

model **ZEUS**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **TAU**

model **250K-SLIMR**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TAU**

model **250K-SLIMRP**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TAU**

model **250T-4RP**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA**

model **EDGE**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **TELCOMA**

model **FM400**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA**

model **FM400E**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA**

model **RCS**



Codifica coding **FIX CODE**

Frequenza frequency **306,00 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **TELCOMA**

model **TANGO**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **V2**

model **HANDY**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2**

model **PHOENIX**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **PHOX 433**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TPR-43KF**



Codifica coding **FIX CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161
BLACK 2162/2163
JOLLY OPEN 2137/2157
OPEN TOUCH 2143/2155

for **V2** model **TRC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TSC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **V2** model **TXC**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **VDS** model **ECO-R**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

for **VDS** model **TRQ P**



Codifica coding **ROLLING CODE**

Frequenza frequency **433,92 MHz**

Programmazione/programming:



Duplicabile con/duplicable with:
BLACK ONE 2161

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
ADYX					
433-HD BRAVO	433,92 MHz	√			
TE4433H BLUE	433,92 MHz	√			
TM-433	433,92 MHz	√	√	√	√
AERF					
BT	433,92 MHz	√	√	√	√
COMPACT	433,92 MHz	√			
HY-DOM	433,92 MHz	√			
MARS	433,92 MHz	√			
MARS	868,36 MHz	√			
MERCURI B	433,92 MHz	√			
MERCURI B	868,36 MHz	√			
MERCURI C	433,92 MHz	√			
MERCURI C	868,36 MHz	√			
SABUTON	433,92 MHz	√			
SATURN	433,92 MHz	√			
ST3-N	433,92 MHz	√			
TERRA	433,92 MHz	√			
TMP-1	433,92 MHz	√			
TMP-2	433,92 MHz	√			
TTS	433,92 MHz	√	√	√	√
UNITECH	433,92 MHz	√			
ALLMATIC					
ASMX2	306,00 MHz	√			
ASMY	306,00 MHz	√			
BRO.OVER	433,92 MHz	√			
BROWN	433,92 MHz	√			
BROWN RED	433,92 MHz	√			
MINIPASS	433,92 MHz	√			
PASS	433,92 MHz	√			
TECH3	433,92 MHz	√			
APERTO					
4020-TX03-434	433,92 MHz	√			
CPS	433,92 MHz	√	√	√	√

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
TX02-434-2	433,92 MHz	√			
TX02-434-2	868,36 MHz	√			
APRIMATIC					
TM	433,92 MHz	√			
TR	433,92 MHz	√			
TXM	433,92 MHz	√			
ATA					
PTX4 BLU	433,92 MHz	√			
PTX4 PINK	433,92 MHz	√			
AUTELCO					
EMB	286,00 MHz	√			
TX300	286,00 MHz	√			
TX300T	286,00 MHz	√			
AVIDSEN					
104250	433,92 MHz	√			
104250 OLD	433,92 MHz	√			
104250 RED	433,92 MHz	√			
104251	433,92 MHz	√			
104257	433,92 MHz	√			
104350	433,92 MHz	√			
654250	433,92 MHz	√			
BALLAN					
FM400	433,92 MHz	√			
FM400E	433,92 MHz	√			
BENINCA					
APPLE	433,92 MHz	√			
CUPIDO	433,92 MHz	√			
IO	433,92 MHz	√			
LOT A	306,00 MHz	√			
LOT W	433,92 MHz	√	√	√	√
LOT WCV	433,92 MHz	√			
LOT WMS	433,92 MHz	√	√	√	√
LOT X	306,00 MHz	√			
LOT XPS	306,00 MHz	√			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
LOT XW	433,92 MHz	✓	✓	✓	✓
ROLLKEY	433,92 MHz	✓			
TO.GO. QV	868,36 MHz	✓			
TO.GO. WP	433,92 MHz	✓			
TO.GO. WV	433,92 MHz	✓			
TWK	433,92 MHz	✓	✓	✓	✓
TWV	433,92 MHz	✓			
BFT					
GIBLI	433,92 MHz	✓			
KLEIO	433,92 MHz	✓			
MITTO A	433,92 MHz	✓			
MITTO M	433,92 MHz	✓			
MITTO RCB	433,92 MHz	✓			
MURALE	433,92 MHz	✓			
TEO	433,92 MHz	✓	✓	✓	✓
TFQ	306,00 MHz	✓			
TRC	433,92 MHz	✓			
TX2 306	306,00 MHz	✓			
VTM	315,00 MHz	✓			
CAME					
TOP432EV	433,92 MHz	✓	✓	✓	✓
TOP432NA	433,92 MHz	✓	✓	✓	✓
TOP432S	433,92 MHz	✓	✓	✓	✓
TOP432SA	433,92 MHz	✓	✓	✓	✓
TOP434A	433,92 MHz	✓	✓	✓	✓
TOP434M	433,92 MHz	✓	✓	✓	✓
TOP862NA	868,36 MHz	✓			
TWIN	433,92 MHz	✓	✓	✓	✓
CARDIN					
S437 TX	433,92 MHz	✓			
S438 TX	433,92 MHz	✓	✓	✓	✓
TXQ 486	868,36 MHz	✓			
TXQ 486 NEW	868,36 MHz	✓			
TXQ S449	433,92 MHz	✓			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
TXQ S449 GREEN	433,92 MHz	✓			
TXQ S486 OLD	868,36 MHz	✓			
CASALI					
JA33 AMIGO	868,36 MHz	✓			
CASIT					
BE HAPPY S	433,92 MHz	✓			
BE HAPPY S AZUL	433,92 MHz	✓			
MPSTFRC	433,92 MHz	✓			
MTE	433,92 MHz	✓			
VTM	433,92 MHz	✓			
CELINSA					
C-2	286,00 MHz	✓			
DW-2	433,92 MHz	✓	✓	✓	✓
ME	287,00 MHz	✓			
ME-B	287,00 MHz	✓			
MOVECODE	433,92 MHz	✓			
RW-2	433,92 MHz	✓	✓	✓	✓
SAW	433,92 MHz	✓	✓	✓	✓
SE	287,00 MHz	✓			
SE-1	302,00 MHz	✓			
SE-1B	302,00 MHz	✓			
SE-B	287,00 MHz	✓			
X-2	433,92 MHz	✓			
Z-2	868,36 MHz	✓			
CHAMBERLAIN					
132B2372	433,92 MHz	✓			
1A5477	433,92 MHz	✓			
1A5639-7	433,92 MHz	✓			
371 LM	315,00 MHz	✓			
4335EML	433,92 MHz	✓	✓	✓	✓
433EML	433,92 MHz	✓	✓	✓	✓
84330E	433,92 MHz	✓			
84330EML	433,92 MHz	✓			
84333EML	433,92 MHz	✓			

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
84335EML	433,92 MHz	√			
8747EML	433,92 MHz	√			
94330EML	433,92 MHz	√			
94333E	433,92 MHz	√			
94333EML	433,92 MHz	√			
94334CE	433,92 MHz	√			
94334E	433,92 MHz	√			
94335E	433,92 MHz	√			
94335EML	433,92 MHz	√			
953ESTD	310,00 MHz	√			
953ESTD	315,00 MHz	√			
953ESTD	390,00 MHz	√			
971 LM	390,00 MHz	√			
9747E	433,92 MHz	√			
G4330E	433,92 MHz	√	√	√	√
CIMESA					
EM	352,00 MHz	√			
CLEMSA					
D	288,00 MHz	√			
DIGICODE MH	433,92 MHz	√	√	√	√
E	287,00 MHz	√			
E-300	286,00 MHz	√			
E-600	286,00 MHz	√			
E-CODE N	868,36 MHz	√			
E20	288,00 MHz	√			
EM	288,00 MHz	√			
FA	306,00 MHz	√			
M-60	288,00 MHz	√			
MASTERCODE	433,92 MHz	√	√	√	√
MH	433,92 MHz	√	√	√	√
MH-E	433,92 MHz	√	√	√	√
MT	287,00 MHz	√			
MT-X	287,00 MHz	√			
MT-Y	302,00 MHz	√			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
MT-Z	302,00 MHz	√			
MUTANCODE	433,92 MHz	√			
T	433,92 MHz	√			
T-8	868,36 MHz	√			
DASPI					
ZERO RC	433,92 MHz	√			
DEA SYSTEM					
306	306,00 MHz	√			
GENIE R 273	433,92 MHz	√			
GENIE S	433,92 MHz	√	√	√	√
GENIE S 263L	433,92 MHz	√	√	√	√
GOLD306	306,00 MHz	√			
GOLDR	433,92 MHz	√			
GOLDS	433,92 MHz	√	√	√	√
MIO TD	433,92 MHz	√	√	√	√
MIO TR	433,92 MHz	√			
PUNTO 268	433,92 MHz	√	√	√	√
PUNTO 278	433,92 MHz	√			
DELMA					
APOLLO-300-4	300.00 MHz	√			
APOLLO-433-4	433,92 MHz	√	√	√	√
APOLLO-433-4 NEW	433,92 MHz	√	√	√	√
KING-433	433,92 MHz	√	√	√	√
MIZ-300	300.00 MHz	√			
MIZ-433	433,92 MHz	√	√	√	√
DICKERT					
HS-868	868,36 MHz	√			
HS-868 GREY	868,36 MHz	√			
IAMS-433	433,92 MHz	√	√	√	√
MAHS433	433,92 MHz	√	√	√	√
S10 AL	433,92 MHz	√	√	√	√
S10 AL	868,36 MHz	√			
S10-433-AL	433,92 MHz	√	√	√	√
S20-433-AL	433,92 MHz	√	√	√	√

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
S20-868-AL	868,36 MHz	✓			
S5-433-AL	433,92 MHz	✓	✓	✓	✓
S5-868-AL	868,36 MHz	✓			
DITEC					
BIX LG4	433,92 MHz	✓			
BIX LP2	433,92 MHz	✓			
BIX LS2	433,92 MHz	✓	✓	✓	✓
GOL4	433,92 MHz	✓			
GOL4C	433,92 MHz	✓	✓	✓	✓
DOORHAN					
TRANSMITTER 4	433,92 MHz	✓			
DOORMATIC					
AM-300	300.00 MHz	✓			
AZ-433	433,92 MHz	✓	✓	✓	✓
EURO	433,92 MHz	✓	✓	✓	✓
DUCATI					
TE2	433,92 MHz	✓	✓	✓	✓
TPR	433,92 MHz	✓	✓	✓	✓
TSAW	433,92 MHz	✓	✓	✓	✓
TSAWN	433,92 MHz	✓	✓	✓	✓
ECOSTAR					
40	433,92 MHz	✓	✓	✓	✓
RSC	433,92 MHz	✓			
RSE	433,92 MHz	✓			
RSZ	433,92 MHz	✓			
ELBE					
50	433,92 MHz	✓	✓	✓	✓
ELEMAT					
TRINARY	310,00 MHz	✓			
ELKA					
SKX	433,92 MHz	✓	✓	✓	✓
EMFA					
BINARY	310,00 MHz	✓			
TRINARY	310,00 MHz	✓			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
ERREKA					
BARR	340,00 MHz	✓			
BM	287,00 MHz	✓			
CEME	288,00 MHz	✓			
CLEM	287,00 MHz	✓			
CLMX	288,00 MHz	✓			
CLMY	302,00 MHz	✓			
CYJC	290,00 MHz	✓			
IRIS	433,92 MHz	✓			
IRIS	868,36 MHz	✓			
JC	290,00 MHz	✓			
JJM	290,00 MHz	✓			
LUNA	433,92 MHz	✓	✓	✓	✓
MATZ	330,00 MHz	✓			
MATZ AZUL	330,00 MHz	✓			
MC	433,92 MHz	✓	✓	✓	✓
MT	290,00 MHz	✓			
RESON 2	433,92 MHz	✓	✓	✓	✓
RESON 4	433,92 MHz	✓	✓	✓	✓
RLT	330,00 MHz	✓			
ROLLER 2	433,92 MHz	✓			
ROLLER 2 868	868,36 MHz	✓			
ROLLER 4 868	868,36 MHz	✓			
SGOX	433,92 MHz	✓	✓	✓	✓
SMAT	433,92 MHz	✓	✓	✓	✓
SOL433	433,92 MHz	✓			
SOL868	868,36 MHz	✓			
VEGA 433	433,92 MHz	✓			
VEGA 868	868,36 MHz	✓			
FAAC					
418 SL	418,00MHz	✓			
DL868SLH	868,36 MHz	✓			
R40 330 NEW	330,00 MHz	✓			
R40 330 OLD	330,00 MHz	✓			

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
T433SLH	433,92 MHz	✓			
T868SLH	868,36 MHz	✓			
TE433HG	433,92 MHz	✓			
TM300	330,00 MHz	✓			
TM315	315,00 MHz	✓			
TML433SLH	433,92 MHz	✓			
TML433SLR	433,92 MHz	✓	✓		✓
XT433RC	433,92 MHz	✓			
XT433SLH	433,92 MHz	✓			
XT868SLH	868,36 MHz	✓			
FADINI					
ASTRO 433	433,92 MHz	✓	✓	✓	✓
ASTRO 433M	433,92 MHz	✓	✓	✓	✓
JUBI 433	433,92 MHz	✓			
JUBI SMALL	433,92 MHz	✓			
FERPORT					
TAC80	868,36 MHz	✓			
FORSA					
TRIEME	288,00 MHz	✓			
TX26	288,00 MHz	✓			
GENIUS					
AMIGO	868,36 MHz	✓			
AMIGOLD	868,36 MHz	✓			
BRAVO	433,92 MHz	✓			
ECHO	433,92 MHz	✓			
JA40	433,92 MHz	✓	✓	✓	✓
KILO	868,36 MHz	✓			
GIBIDI					
AU1600	433,92 MHz	✓			
AU1600 WOOD	433,92 MHz	✓			
AU1680	433,92 MHz	✓			
AU1680 WOOD	433,92 MHz	✓			
DOMINO	433,92 MHz	✓			
L110	305,00 MHz	✓			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
TMB	433,92 MHz	✓	✓	✓	✓
TSM	306,00 MHz	✓			
GULLIVER					
MDRS	306,00 MHz	✓			
MDW	433,92 MHz	✓	✓	✓	✓
HORMANN					
HS4 868 BS	868,36 MHz	✓			
HS868	868,36 MHz	✓			
HSE 433	433,92 MHz	✓	✓	✓	✓
HSE2 868 BS	868,36 MHz	✓			
HSM 40	868,36 MHz	✓			
HSM 433	433,92 MHz	✓	✓	✓	✓
HSP4	868,36 MHz	✓			
JCM					
BINARY	290,00 MHz	✓			
EB	310,00 MHz	✓			
EF	290,00 MHz	✓			
EM	284,00 MHz	✓			
ET	290,00 MHz	✓			
GO	868,36 MHz	✓			
GO CUBELLS	868,36 MHz	✓			
GO DMIL	868,36 MHz	✓			
GO FORSA	868,36 MHz	✓			
GO GIBIDI	868,36 MHz	✓			
GO HYDOM	868,36 MHz	✓			
GO NORTON	868,36 MHz	✓			
GO ROPER	868,36 MHz	✓			
GO TECH	868,36 MHz	✓			
MINI GO	868,36 MHz	✓			
NEO	433,92 MHz	✓			
NEO DMIL	433,92 MHz	✓			
NEO EMFA	433,92 MHz	✓			
NEO FORSA	433,92 MHz	✓			
NEO PUJOL	433,92 MHz	✓			

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
NEO ROPER	433,92 MHz	√			
NEO SERVIPARKING	433,92 MHz	√			
TRIEME	320,00 MHz	√			
TWIN	433,92 MHz	√			
KEY					
900TXB-42R	433,92 MHz	√			
SUB 44R	433,92 MHz	√			
TXB 44R	433,92 MHz	√			
KING GATES					
CLIPPER	433,92 MHz	√			
STYLO	433,92 MHz	√			
LABEL					
SPYCO	433,92 MHz	√			
LEB					
TCP	433,92 MHz	√	√	√	√
TMW	433,92 MHz	√	√	√	√
LIFT MASTER					
132B2372	433,92 MHz	√			
1A5477	433,92 MHz	√			
1A5639-7	433,92 MHz	√			
371 LM	315,00 MHz	√			
4335EML	433,92 MHz	√	√	√	√
433EML	433,92 MHz	√	√	√	√
84330E	433,92 MHz	√			
84330EML	433,92 MHz	√			
84333EML	433,92 MHz	√			
84335EML	433,92 MHz	√			
8747EML	433,92 MHz	√			
94330EML	433,92 MHz	√			
94333E	433,92 MHz	√			
94333EML	433,92 MHz	√			
94334CE	433,92 MHz	√			
94334E	433,92 MHz	√			
94335E	433,92 MHz	√			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
94335EML	433,92 MHz	√			
953ESTD	310,00 MHz	√			
953ESTD	315,00 MHz	√			
953ESTD	390,00 MHz	√			
971 LM	390,00 MHz	√			
9747E	433,92 MHz	√			
G4330E	433,92 MHz	√	√	√	√
LINEAR					
LINEAR	310,00 MHz	√			
MEGACODE	318,00 MHz	√			
MARANTEC					
21R	433,92 MHz	√	√	√	√
D23	433,92 MHz	√	√	√	√
DIGITAL 21	433,92 MHz	√	√	√	√
DIGITAL 30 433	433,92 MHz	√	√	√	√
DIGITAL 30 868	868,36 MHz	√			
DIGITAL 32 868	868,36 MHz	√			
MERLIN					
C940	433,92 MHz	√			
C943	433,92 MHz	√			
C945	433,92 MHz	√			
M842	433,92 MHz	√			
M844	433,92 MHz	√			
MERLIN 2.0					
E940M	433,92 MHz	√			
E943M	433,92 MHz	√			
E945M	433,92 MHz	√			
MHOUSE					
GTX4	433,92 MHz	√			
MOOVO	433,92 MHz	√			
TX3	433,92 MHz	√			
TX4	433,92 MHz	√			
MOTOR LIFT					
132B2372	433,92 MHz	√			

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
1A5477	433,92 MHz	✓			
1A5639-7	433,92 MHz	✓			
371 LM	315,00 MHz	✓			
4335EML	433,92 MHz	✓	✓	✓	✓
433EML	433,92 MHz	✓	✓	✓	✓
84330E	433,92 MHz	✓			
84330EML	433,92 MHz	✓			
84333EML	433,92 MHz	✓			
84335EML	433,92 MHz	✓			
8747EML	433,92 MHz	✓			
94330EML	433,92 MHz	✓			
94333E	433,92 MHz	✓			
94333EML	433,92 MHz	✓			
94334CE	433,92 MHz	✓			
94334E	433,92 MHz	✓			
94335E	433,92 MHz	✓			
94335EML	433,92 MHz	✓			
953ESTD	310,00 MHz	✓			
953ESTD	315,00 MHz	✓			
953ESTD	390,00 MHz	✓			
971 LM	390,00 MHz	✓			
9747E	433,92 MHz	✓			
G4330E	433,92 MHz	✓	✓	✓	✓
NICE					
EASY S	306,00 MHz	✓			
ERA ONE	433,92 MHz	✓			
ERA-FLOR	433,92 MHz	✓			
FLO-R	433,92 MHz	✓			
INTI	433,92 MHz	✓			
ONE	433,92 MHz	✓			
SMILO	433,92 MHz	✓			
VERY-VR	433,92 MHz	✓			
NORTON					
NEO	433,92 MHz	✓			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
TXE	433,92 MHz	✓	✓	✓	✓
NOVOFERM					
M512	433,92 MHz	✓	✓	✓	✓
MCHS	433,92 MHz	✓			
MICRO-NOVOTRON 502	433,92 MHz	✓			
MICRO-NOVOTRON 504	433,92 MHz	✓			
MINI-NOVOTRON 502	433,92 MHz	✓			
MINI-NOVOTRON 504	433,92 MHz	✓			
MNHS	433,92 MHz	✓			
NOVOTRON 202 MB	433,92 MHz	✓	✓	✓	✓
O&O					
ELIOT	433,92 MHz	✓			
RAY	433,92 MHz	✓			
T.COM R4-2	433,92 MHz	✓			
T.COM R8-2	868,36 MHz	✓			
TX	433,92 MHz	✓			
OPENOUT					
L110	305,00 MHz	✓			
TMB	433,92 MHz	✓	✓	✓	✓
TSM	306,00 MHz	✓			
PECCININ					
TX MENBRANA	433,92 MHz	✓			
PORTAMATIC					
MPH	433,92 MHz	✓	✓	✓	✓
MPSA	289,00 MHz	✓			
MPSN	306,00 MHz	✓			
PRASTEL					
BFOR	433,92 MHz	✓			
KMFT	306,00 MHz	✓			
KMFTP	306,00 MHz	✓			
MPSTFE	433,92 MHz	✓			
MPSTFE RE	433,92 MHz	✓	✓	✓	✓
MPSTFE RJ	433,92 MHz	✓	✓	✓	✓
MPSTLE	433,92 MHz	✓			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
MPSTP2E	433,92 MHz	√			
MTE	433,92 MHz	√			
TCE	433,92 MHz	√			
TRQ-P	433,92 MHz	√			
PROEM					
ERC-ACD	433,92 MHz	√	√	√	√
PROLIFT					
C940	433,92 MHz	√			
C943	433,92 MHz	√			
C945	433,92 MHz	√			
M842	433,92 MHz	√			
M844	433,92 MHz	√			
PUJOL					
ET	290,00 MHz	√			
NEO	433,92 MHz	√			
P15	290,00 MHz	√			
TWIN	433,92 MHz	√			
VARIO	433,92 MHz	√			
VARIO MARS	433,92 MHz	√			
VARIO OCEAN	433,92 MHz	√			
RIB					
LITHIO	433,92 MHz	√			
MOON	433,92 MHz	√	√	√	√
SUN	433,92 MHz	√	√	√	√
ROLLTORE					
R330	330,00 MHz	√			
R40	330,00 MHz	√			
R40 330 NEW	330,00 MHz	√			
ROPER					
NEO	433,92 MHz	√			
TRINARY	290,00 MHz	√			
SABUTOM					
BROOVER	433,92 MHz	√			
BROSTAR	433,92 MHz	√			

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
SEA					
EC 433	433,92 MHz	√	√	√	√
SEAV					
BE HAPPY RS	433,92 MHz	√			
SERAI					
SER 310	310,00 MHz	√			
SILVELOX					
MHZ 07 RC	433,92 MHz	√			
QUARZ SAW	433,92 MHz	√			
SIMINOR					
CVX	433,92 MHz	√	√	√	√
CVXNL	433,92 MHz	√			
MITTO	433,92 MHz	√			
SIM433	433,92 MHz	√			
SOMFY					
ALARMA	433,92 MHz	√			
CVX	433,92 MHz	√	√	√	√
K-EASY	433,92 MHz	√			
K-EASY NEW	433,92 MHz	√			
K-EASY OLD	433,92 MHz	√			
KEY GO RTS	433,92 MHz	√			
KEYTIS RTS	433,92 MHz	√			
KEYTIS RTS NS	433,92 MHz	√			
MITTO	433,92 MHz	√			
TELIS RTS	433,92 MHz	√			
TS 433	433,92 MHz	√	√	√	√
SOMMER					
4010	868,36 MHz	√			
4020	868,36 MHz	√			
4025 433	433,92 MHz	√			
4025 868	868,36 MHz	√			
4026	868,36 MHz	√			
STAGNOLI					
KALLISTO	433,92 MHz	√			

I marchi originali indicati non sono di proprietà della GBS che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. La GBS non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate.

The original brands indicated here don't belong to GBS that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. GBS has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Modello Model	Frequenza Frequency	Black one	Black 2/4	Jolly Open 2/4	Open Touch 2/4
VENUS	433,92 MHz	✓			
ZEUS	433,92 MHz	✓	✓	✓	✓
TAU					
250K-SLIMR	433,92 MHz	✓			
250K-SLIMRP	433,92 MHz	✓			
250T-4RP	433,92 MHz	✓			
TELCOMA					
EDGE	433,92 MHz	✓	✓	✓	✓
FM400	433,92 MHz	✓			
FM400E	433,92 MHz	✓			
RCS	306,00 MHz	✓			
TANGO	433,92 MHz	✓	✓	✓	✓
V2					
HANDY	433,92 MHz	✓			
PHOENIX	433,92 MHz	✓			
PHOX 433	433,92 MHz	✓			
TPR-43KF	433,92 MHz	✓	✓	✓	✓
TRC	433,92 MHz	✓			
TSC	433,92 MHz	✓			
TXC	433,92 MHz	✓			
VDS					
ECO-R	433,92 MHz	✓			
TRQ P	433,92 MHz	✓			

2162 - BLACK 2



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
2
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
6 V - CR2016 (inclusa included)

2163 - BLACK 4




frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
6 V - CR2016 (inclusa included)

2161 - BLACK ONE



frequenza/Frequency:
multifrequenza/Multifrequency
tipo codifica/Type of coding:
Rolling Code e Fissa/Rolling code and Fix
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
6 V - CR2016 (inclusa/ included)



2164 - BLACK INDOOR



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: Interno/Indoor
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 12A - 14Vdc - 7A - 120Vac
codici memorizzabili/Memorised codes: 140
alimentazione/Power supply: 12V - 24V
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 20

2165 - BLACK OUTDOOR



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: Esterno/Outdoor
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 12A - 14Vdc - 7A - 120Vac
codici memorizzabili/Memorised codes: 140
alimentazione/Power supply: 12V - 24V
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 55

2166 - BLACK EASY LIGHT



frequenza/Frequency: 433,92 MHz
tipo codifica/Type of coding: Fissa/Fixed
numero canali/Number of channels:
2: bistabile/temporizzata
2: bistable/timer
installazione/Installation: Esterno/Outdoor
utilizzo/Use: Illuminazione esterna/
Outdoor lighting
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: 16A - 250 Vac
codici memorizzabili/Memorised codes: 128
carico max totale/Total max load: 1000W
alimentazione/Power supply:
220/230 Vac - 50/60 Hz
batterie/batteries: 12V 27A (inclusa/included)
protezione/protection: IP 55



2143 - OPEN TOUCH 2




frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
2
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
12 V - 23A (inclusa/ included)

2155 - OPEN TOUCH 4



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendente/Self-learning
batterie/batteries:
12 V - 23A (inclusa/ included)

2177 - OPEN TOUCH INDOOR



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Interno/Indoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 20**

2178 - OPEN TOUCH OUTDOOR



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**

2137 - NEW JOLLY OPEN 2



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
2
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
batterie/batteries:
12 V - 27A (inclusa/ included)

2157 - NEW JOLLY OPEN 4



frequenza/Frequency:
433,92 MHz
tipo codifica/Type of coding:
Fissa/Fixed
numero canali/Number of channels:
4
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione/Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
batterie/batteries:
12 V - 27A (inclusa/ included)

2171 - KIT1-INDOOR RECEIVER



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Interno/Indoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 20**

2172 - KIT2-OUTDOOR RECEIVER



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: monostabile/bistabile
2: monostable/bistable
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use:
Cancelli, serrande, box, illuminazione, irrigazione
Gates, shutters, boxes, lighting, irrigation
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **12A - 14Vdc - 7A - 120Vac**
codici memorizzabili/Memorised codes: **140**
alimentazione/Power supply: **12V - 24V**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**

2173 - GARDEN EASY LIGHT



frequenza/Frequency: **433,92 MHz**
tipo codifica/Type of coding: **Fissa/Fixed**
numero canali/Number of channels:
2: bistabile/temporizzata
2: bistable/timer
installazione/Installation: **Esterno/Outdoor**
utilizzo/Use: **Illuminazione esterna/ Outdoor lighting**
programmazione/programming:
Auto-apprendimento/Self-learning
relé/Relay: **16A - 250 Vac**
codici memorizzabili/Memorised codes: **128**
carico max totale/Total max load: **1000W**
alimentazione/Power supply: **220/230 Vac - 50/60 Hz**
batterie/batteries: **12V 27A (inclusa/ included)**
protezione/protection: **IP 55**



GBS Elettronica srl - Via delle Valli, snc - 04011 - Aprilia (LT) - Italia
+39.06.7236734 - fax +39.06.7233098 - www.gbs-elettronica.it